

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Yoshinori OHMURO, et al.

Serial No.: 10/598,397

Filed: 22 Sep 2006

Title: DOPPLER TYPE ULTRASONIC FLOW
METER

Group Art Unit: 2855

Examiner: THOMPSON, JEWEL VERGIE

Attorney Docket No.: FUJI-0389

Confirmation No.: 3698

VIA EFS-WEB

COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

PETITION FOR EXTENSION OF TIME

Sir:

Applicants have filed a response to the Non-Final Office Action dated November 25, 2009 concurrently herewith. The period for response having expired on February 25, 2010, Applicants hereby petition to extend the time for response to such Office Action by two (2) months to and including Monday, April 26, 2010. The petition fee is being paid through the electronic filing system. The Commissioner, however, is authorized to charge Deposit Account 18-2056 any additional fees that may be required to enter this paper and/or maintain the pendency of this application.

Respectfully submitted,

ROSSI, KIMMS & McDOWELL LLP

26 APR 2010

DATE

/Justin D. Petruzzelli/
JUSTIN D. PETRUZZELLI, REG. NO. 52,118

20609 GORDON PARK SQUARE, SUITE 150
ASHBURN, VA 20147
703-726-6020 (PHONE)
703-726-6024 (FAX)